

TIGER X 20W50 SN

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Date of issue: 05/02/2017

Revision date: 05/02/2017

Supersedes: 05/02/2017

Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Form : Mixture
Product Name : TIGER X 20W50 SN
Product Code : 1422
Product Group : Blend

1.2 Product identifier

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use
Industrial/Professional use spec. : Non-dispersive use Used in closed systems
Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3 Details of the supplier of the safety data sheet

BLACK TIGER
3463 Old Al-Kharj Road Hyt, Unit 1
Riyadh 14371-6749- Saudi Arabia
info@blacktiger.com.sa

1.3 Details of the supplier of the safety data sheet

Emergency number : +966 11 438 2902

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Show

Not classified

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains C14-16-18 Alkylphenol. May produce an allergic reaction
EUH210 - Safety data sheet available on request
Child-resistant fastening : No
Tactile warning : No

2.3 Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixture

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|----------|--|
| Base Oil-Unpesified | (CAS No) 72623-87-1 (EC no) 276-738-4 (REACH-no) 649-483-00 | 35 - 55 | Asp. Tox. 1, H304 |
| Bis(nonylphenyl)amine | (EC no) 253-249-4 (REACH-no) 01- 2119488911-28 | 1 - 2,49 | Aquatic Chronic 4, H413 |
| C14-16-18 Alkylphenol | (REACH-no) 01-2119498288-19 | 0,1-0,99 | Skin Sens. 1, H317 Aquatic Chronic 4, H413 |
| Zinc bis[O-(-6-methylheptyl)] bis[O-(sec- butyl)]bis(dithiophosphate) | (EC no) 298-577-9. (REACH-no) 01-2119543726-33 | 0,1-0,99 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411 |

Full text of R-, H- and EUH-phrases: see section 16

TIGER X 20W50 SN

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 4: First aid measures

4.1 Description of first aid measures

- First-aid measures after inhalation : Not expected to require first aid measures.
- First-aid measures after skin contact : Wash skin with mild soap and water.
- First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes.
- First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
- Symptoms/injuries after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal use.
- Symptoms/injuries after eye contact : Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
- Symptoms/injuries after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Water fog. Foam. Powder. Dry chemical product.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2 Special hazards arising from the substance or mixture

No additional information available

5.3 Advice for firefighters

- Precautionary measures fire : Exercise caution when fighting any chemical fire.
- Firefighting instructions : Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable protective clothing and gloves.

6.1.2. For emergency responders

- Protective equipment : Wear suitable protective clothing and gloves.

6.2 Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3 Methods and material for containment and cleaning up

- For containment : Impound and recover large spill by mixing it with inert granular solids.
- Methods for cleaning up : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.
- Other information : Spill area may be slippery. Use suitable disposal containers.

6.4 Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1 Reference to other sections

- Precautions for safe handling : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
- Handling temperature : < 40°C
- Hygiene measures : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

7.2 Conditions for safe storage, including any incompatibilities

- Storage temperature : < 40°C
- Storage area : Store in dry, cool, well-ventilated area.

7.3 Specific end use(s)

No additional information available

TIGER X 20W50 SN

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional Information : 5 mg/m³ for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

8.2 Exposure controls

Personal protective equipment : Safety glasses. Gloves.



Hand protection : Wear suitable gloves resistant to chemical penetration.

Skin and body protection : No special clothing/skin protection equipment is recommended under normal conditions of use.

Respiratory protection : No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties.

Physical state : Liquid.
Appearance : Oily liquid.
Colour : Yellow-brown.
Odour : Characteristic.
Odour threshold : No data available.
pH : No data available.
Relative evaporation rate (butylacetate=1) : No data available.
Melting point : No data available.
Freezing point : No data available.
Boiling point : No data available.
Flash point : >214°C@ASTMD92
Self ignition temperature : No data available.
Decomposition temperature : No data available.
Flammability (solid, gas) : No data available.
Vapour pressure : No data available.
Relative vapour density at 20 °C : No data available.
Relative density : No data available.
Density : 880 kg/m³ @15°C
Solubility : Slightly soluble, the product remains on the water surface.
Log Pow : No data available.
Viscosity, kinematic : 161 mm²/s @ 40°C
Viscosity, dynamic : No data available.
Oxidising properties : No data available.
Explosive limits : No data available.

9.2 Other information

No additional information available

SECTION 10: Stability and reactivity

10.1 Reactivity

None under normal conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

None under normal conditions.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

Strong oxidizers. acids. Bases.

10.6 Hazardous decomposition products

None under normal conditions.

TIGER X 20W50 SN

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity : Not classified

Organomolybdenum amide

| | |
|-----------------|-----------------------|
| LD50 oral rat | > 5000 mg/kg OECD 401 |
| LD50 dermal rat | > 2000 mg/kg OECD 402 |

Zinc dialkyl dithiophosphate (68649-42-3)

| | |
|----------------------------|--------------------------------|
| LD50 oral rat | 2600 mg/kg 67/548/EEG annexe V |
| LD50 dermal rat | > 3160 mg/kg OECD 402 |
| LC50 inhalation rat (mg/l) | >2mg/l1h-OECD 403-read across |

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified
Specific target organ toxicity (repeated exposure) : Not classified
Aspiration hazard : Not classified

Organomolybdenum amide

| | |
|----------------------|-------------------------------|
| Viscosity, Kinematic | 161 mm ² /s @ 40°C |
|----------------------|-------------------------------|

SECTION 12: Ecological information

12.1 Toxicity

Organomolybdenum amide

| | |
|--------------------------------|--|
| LC50 fishes 1 | 100 mg/l OECD 203 (Danio rerio @96h) |
| EC50 Daphnia 1 | > 100 mg/l OECD 202 (Daphnia magna @48h) |
| EC50 other aquatic organisms 1 | > 100 mg/l OECD 201 (Desmodesmus subspicatus @72h) |

Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)

| | |
|--------------------------------|---|
| LC50 fishes 1 | 4,5 mg/l OECD 203 (Oncorhynchus mykiss) 96h |
| EC50 Daphnia 1 | 5,4 mg/l OECD 202 (Daphnia magna) 48h |
| EC50 other aquatic organisms 1 | 2,1 mg/l OECD 201 (Selenastrum capricornutum) 48h |

12.2 Persistence and degradability

TIGER X 20W50 SN

Persistence and degradability : Not soluble in water, so only minimally biodegradable.

Bis(nonylphenyl)amine (36878-20-3)

Biodegradation : 1 % @28d

Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)

Biodegradation : 1,5 % OECD 301B 28d

12.3 Bioaccumulative potential

Bis(nonylphenyl)amine (36878-20-3)

Log Pow : > 7.6

Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)

Log Pow : 0,9 @23°C

12.4 Mobility in soil

No additional information available

12.5 Results of PBT and vPvB assessment

No additional information available

12.6 Other adverse effects

No additional information available

TIGER X 20W50 SN

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations

SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1 UN number

Not regulated for transport

14.2 UN proper shipping name

Proper Shipping Name (ADR) : Not applicable.
Proper Shipping Name (IMDG) : Not applicable.
Proper Shipping Name (IATA) : Not applicable.
Proper Shipping Name (ADN) : Not applicable.
Proper Shipping Name (RID) : Not applicable.

14.3 Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable.

IMDG

Transport hazard class(es) (IMDG) : Not applicable.

IATA

Transport hazard class(es) (IATA) : Not applicable.

ADN

Transport hazard class(es) (ADN) : Not applicable.

RID

Transport hazard class(es) (RID) : Not applicable.

14.4 Packing group

Packing Group (ADR) : Not applicable.
Packing Group (IMDG) : Not applicable.
Packing Group (IATA) : Not applicable.
Packing Group (ADN) : Not applicable.
Packing Group (RID) : Not applicable.

14.5 Environmental hazards

Dangerous for the environment : No
Marine Pollutant : No
Other information : No supplementary information available.

14.6 Special precautions for user

14.6.1 Overland transport

No additional information available

14.6.2 Transport by sea

No additional information available

14.6.3 Air transport

No additional information available

14.6.4 Inland waterway transport

No additional information available

14.6.5 Rail transport

No additional information available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. Air transport

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

TIGER X 20W50 SN

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

15.1.2. National regulations

Germany

- VwVwS Annex reference : Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex 4)
- 12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

- SZW-lijst van kankerverwekkende stoffen : Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) is listed
- SZW-lijst van mutagene stoffen : Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate) is listed
- NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed
- NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed
- NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

- Classification Remark : Emergency management guidelines for the storage of flammable liquids must be followed.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information.

Abbreviation and acronyms

| | |
|--|--|
| | ACGIH: American Conference of Governmental Industrial Hygienists |
| | TWA: Time Weighted Average |
| | TLV: Threshold Limit Value |
| | ASTM: American Society for Testing and Materials |
| | ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route |
| | RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail |
| | ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin |
| | IMDG: International Maritime Dangerous Goods |
| | ICAO: International Civil Aviation Organization |
| | IATA: International Air Transport Association |
| | STEL: Short Term Exposure Limit |
| | LD50: median Lethal Dose for 50% of subjects |
| | ATE: acute toxicity estimate |
| | LC50: median Lethal Concentration for 50% of subjects |
| | EC50: concentration producing 50% effect |

- Other information : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

TIGER X 20W50 SN

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Full text of R-, H- and EUH-phrases

:

| | |
|-------------------|--|
| Aquatic Chronic 2 | Hazardous to the aquatic environment - Chronic Hazard Category 2 |
| Aquatic Chronic 4 | Hazardous to the aquatic environment - Chronic Hazard Category 4 |
| Asp. Tox. 1 | Aspiration hazard Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Skin Irrit. 2 | skin corrosion/irritation Category 2 |
| Skin Sens. 1 | Sensitisation — Skin, Category 1 |
| H304 | May be fatal if swallowed and enters airways |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H411 | Toxic to aquatic life with long lasting effects |
| H413 | May cause long lasting harmful effects to aquatic life |
| EUH208 | Contains . May produce an allergic reaction |
| EUH210 | Safety data sheet available on request |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.