

# TIGER 15W40 CG-4/SJ

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006

Date of issue: 14/02/2017

Revision date: 14/02/2017

Supersedes: 14/02/2017

Version:1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product Form : Mixture  
Product Name : TIGER 15W40 CG-4/SJ  
Product Code : 1133  
Product Group : Blend

#### 1.2 Product identifier

##### 1.2.1. Relevant identified uses

Main use category : Professional Use  
Industrial/Professional use spec. : Non-dispersive use Used in closed systems  
Function or use category : Brake Fluids

##### 1.2.2. Uses advised against

No additional information available

#### 1.3 Details of the supplier of the safety data sheet

BLACK TIGER  
3463 Old Al-Kharj Hyt Road, Unit 1  
Riyadh 14371-6749- Saudi Arabia  
[info@blacktiger.com.sa](mailto:info@blacktiger.com.sa)

#### 1.4 Details of the supplier of the safety data sheet

Emergency number : +966 11 438 2902

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Show

Not Classified

#### 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -  
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects  
Precautionary statements (CLP) : P273 - Avoid release to the environmentP501 - Dispose of contents/container in accordance with local/regional/national/international regulations  
Child-resistant fastening : No  
Tactile warning : No

#### 2.3 Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

# TIGER 15W40 CG-4/SJ

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006

### 3.2 Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Phenol, 4-dodecyl-xn R62; xi R38 ;R50/53 Repr cat 3	(CAS No) 104-43-8 EINECS : 203-202-9	0.1 - 1.0	Repr. 2, H361f; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin irrit 2, H315
organomolybdenum amideN R51/53		0.1 - 1.0	Aquatic Chronic 2, H411
zinc dialkyl dithiophosphateXi R38-41; N R51/53	(CAS No) 6849-42-3 EINECS : 272-028-3	1 - 2.5	Eye Dam. 1, H318 Skin Irrit. 2, H315 Aquatic Chronic 2, H411.
Calcium long-chain alkylphenate sulfide R53	Polymer	1 - 2.5	Aquatic Chronic 4, H413

Full text of R-, H- and EUH-phrases: see section 16

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

First-aid measures after inhalation	: Not expected to require first aid measures.
First-aid measures after skin contact	: Wash skin with mild soap and water.
First-aid measures after eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of use.
Symptoms/injuries after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/injuries after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/injuries after ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of use.

### 4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media	: Water fog. Foam. Powder. Dry chemical product.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2 Special hazards arising from the substance or mixture

No additional information available

### 5.3 Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable protective clothing and gloves.
----------------------	---

#### 6.1.2. For emergency responders

Protective equipment	: Wear suitable protective clothing and gloves.
----------------------	---

### 6.2 Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3 Methods and material for containment and cleaning up

For containment	: Impound and recover large spill by mixing it with inert granular solids.
Methods for cleaning up	: Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.
Other information	: Spill area may be slippery. Use suitable disposal containers.

# TIGER 15W40 CG-4/SJ

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006

### 6.4 Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Precautions for safe handling : Avoid all unnecessary exposure. Both local exhaust & general room ventilation are usually required.
- Handling temperature : < 40°C
- Hygiene measures : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

### 7.2 Conditions for safe storage, including any incompatibilities

- Storage temperature : < 40°C
- Storage area : Store in dry, cool, well-ventilated area.

### 7.3 Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

- Additional information : 5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

### 8.2 Exposure controls

- Personal protective equipment : Safety glasses. Gloves.



- Hand protection : Permeation time: minimum >480min long term exposure; material / thickness [mm]: >0,35 mm. Nitrile rubber (NBR) /
- Skin and body protection : No special clothing/skin protection equipment is recommended under normal conditions of use.
- Respiratory protection : No special respiratory protection equipment is recommended under normal conditions of use adequate ventilation.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties.

- Physical state : Liquid.
- Appearance : Only Liquid.
- Colour : Light Brown
- Odour : Characteristic.
- Odour threshold : No data available.
- pH : No data available.
- Relative evaporation rate (butylacetate=1) : No data available.
- Melting point : No data available.
- Freezing point : No data available.
- Boiling point : No data available.
- Flash point : > 110 °C @ ASTM D92
- Self ignition temperature : No data available.
- Decomposition temperature : No data available.
- Flammability (solid, gas) : No data available.
- Vapour pressure : No data available.
- Relative vapour density at 20 °C : No data available.
- Relative density : No data available.
- Density : 877 kg/m3 @15°C
- Solubility : Slightly soluble, the product remains on the water surface.
- Log Pow : No data available.

# TIGER 15W40 CG-4/SJ

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006

Viscosity, kinematic	: 102 mm <sup>2</sup> /s @ 40°C
Viscosity, dynamic	: No data available.
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available.

### 9.2 Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

None under normal conditions.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

None under normal conditions.

### 10.4 Conditions to avoid

No data available.

### 10.5 Incompatible materials

Strong oxidizers. acids. Bases.

### 10.6 Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

## TIGER 15W40 CG-4/SJ

Viscosity, kinematic	102 mm <sup>2</sup> /s @ 40°C
----------------------	-------------------------------

## SECTION 12: Ecological information

### 12.1 Toxicity

No additional information available

### 12.2 Persistence and degradability

No additional information available

### 12.3 Bioaccumulative potential

No additional information available

### 12.4 Mobility in soil

No additional information available

### 12.5 Results of PBT and vPvB assessment

No additional information available

### 12.6 Other adverse effects

No additional information available

# TIGER 15W40 CG-4/SJ

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1 UN number

Not regulated for transport

#### 14.2 UN proper shipping name

Proper Shipping Name (ADR) : Not applicable.  
Proper Shipping Name (IMDG) : Not applicable.  
Proper Shipping Name (IATA) : Not applicable.  
Proper Shipping Name (ADN) : Not applicable.  
Proper Shipping Name (RID) : Not applicable.

#### 14.3 Transport hazard class(es)

##### ADR

Transport hazard class(es) (ADR) : Not applicable.

##### IMDG

Transport hazard class(es) (IMDG) : Not applicable.

##### IATA

Transport hazard class(es) (IATA) : Not applicable.

##### ADN

Transport hazard class(es) (ADN) : Not applicable.

##### RID

#### 14.4 Packing group

Not applicable

#### 14.5 Environmental hazards

Marine pollutant : No

#### 14.6 Special precautions for user

##### 14.6.1 Overland transport

No Additional Information Available

##### 14.6.2 Transport by sea

No Additional Information Available

##### 14.6.3 Air transport

No Additional Information Available

##### 14.6.4 Inland waterway transport

No Additional Information Available

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1 EU-Regulations

No Additional Information Available

##### 15.1.2 National regulations

No Additional Information Available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

TIGER 15W40 CG-4/SJ

Safety Data Sheet

According to Regulation (EC) No. 1907/2006

SECTION 16: Other information.

Other information : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of R-, H- and EUH-statements:

H315	Causes skin irritation
H318	Causes serious eye Damage
H361 f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life
R38	Irritating to skin
R41	Risk of serious damage to eyes
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquaticenvironment.
R51/53	Toxic to aquatic organisms , may cause long -term adverse effects in the aquaticenvironment.
R53	May cause long-term adverse effects in the aquatic environment.
R62	Possible risk of impaired fertility.

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*