

# TIGER HARLEY 4T 20W50

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Date of issue: 02/02/2017

Revision date: 04/02/2017

Supersedes: 04/02/2017

Version:1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product Form : Mixture  
Product Name : TIGER HARLEY 4T 20W50  
Product Code : 1502  
Product Group : Blend

#### 1.2 Product identifier

##### 1.2.1 Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use  
Industrial/Professional use spec. : Non-dispersive use Used in closed systems  
Function or use category : Lubricants and additives

##### 1.2.2 Uses advised against

No additional information available

#### 1.3 Details of the supplier of the safety data sheet

BLACK TIGER  
3463 Old Al-Kharj Hyt Road, Unit 1  
Riyadh 14371-6749- Saudi Arabia  
[info@blacktiger.com.sa](mailto:info@blacktiger.com.sa)

#### 1.3 Details of the supplier of the safety data sheet

Emergency number : +966 11 438 2902

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]Show

Not classified

#### 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH phrases : EUH208 - Contains MOB Calcium branched chain alkyl phenate. May produce an allergic reaction  
EUH210 - Safety data sheet available on request

Child-resistant fastening : No

Tactile warning : No

#### 2.3 Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Mineral oil		1 - 4,99	Asp, Tox, 1, H304
Phenol, dodecyl-, branched	(EC no) 310-154-3. (REACH-no) 01-2119513207-49	0.1-0,99	Skin Irrit. 2, H315 Eye Irrit. 2, H319. Repr. 2, H361f Aquatic Acute 1, H400. Aquatic Chronic 1, H410 (M=10)
Hydrocarbons, C11-C14, n-alkanes, iso-alkanes, cyclic, <2% aromatics	(EC no) 274-263-7. (REACH-no) 01-2119492616-28	0.1-0,99	Skin Sens. 1B, H317
MOB Calcium branched chain alkyl phenate	(EC no) 283-392-8	0.1-0,99	Skin Irrit. 2, H315. Eye Dam. 1, H318 Aquatic Chronic 2, H411

Full text of R-, H- and EUH-phrases: see section 16

# TIGER HARLEY 4T 20W50

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

First-aid measures after inhalation	:	Not expected to require first aid measures.
First-aid measures after skin contact	:	Wash skin with mild soap and water.
First-aid measures after eye contact	:	In case of eye contact, immediately rinse with clean water for 10-15 minutes.
First-aid measures after ingestion	:	Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	:	Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
Symptoms/injuries after skin contact	:	Not expected to present a significant skin hazard under anticipated conditions of normal use.
Symptoms/injuries after eye contact	:	Not expected to present a significant eye contact hazard under anticipated conditions of normal use.
Symptoms/injuries after ingestion	:	Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media	:	Water fog. Foam. Powder. Dry chemical product.
Unsuitable extinguishing media	:	Do not use a heavy water stream.

#### 5.2 Special hazards arising from the substance or mixture

No additional information available

#### 5.3 Advice for firefighters

Precautionary measures fire	:	Exercise caution when fighting any chemical fire.
Firefighting instructions	:	Use water spray or fog for cooling exposed containers.
Protection during firefighting	:	Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

##### 6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves.

#### 6.2 Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3 Methods and material for containment and cleaning up

For containment	:	Impound and recover large spill by mixing it with inert granular solids.
Methods for cleaning up	:	Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.
Other information	:	Spill area may be slippery. Use suitable disposal containers.

#### 6.4 Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1 Reference to other sections

Precautions for safe handling	:	Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
Handling temperature	:	< 40°C
Hygiene measures	:	Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage temperature	:	< 40°C
Storage area	:	Store in dry, cool, well-ventilated area.

#### 7.3 Specific end use(s)

No additional information available

# TIGER HARLEY 4T 20W50

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Hydrocarbons, C11-C14, n-alkanes, iso-alkanes, cyclic, <2% aromatics

Belgium	Limit value (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 06/2011
Belgium	Short time value (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> 06/2011

Additional Information : 5 mg/m<sup>3</sup> for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

#### 8.2 Exposure controls

Personal protective equipment : Safety glasses. Gloves.



Hand protection : Wear suitable gloves resistant to chemical penetration.

Skin and body protection : No special clothing/skin protection equipment is recommended under normal conditions of use.

Respiratory protection : No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties.

Physical state	: Liquid.
Appearance	: Oily liquid.
Colour	: Yellow-brown
Odour	: Characteristic.
Odour threshold	: No data available.
pH	: No data available.
Relative evaporation rate (butylacetate=1)	: No data available.
Melting point	: No data available.
Freezing point	: No data available.
Boiling point	: No data available.
Flash point	: >125°C@ASTMD92
Self ignition temperature	: No data available.
Decomposition temperature	: No data available.
Flammability (solid, gas)	: No data available.
Vapour pressure	: No data available.
Relative vapour density at 20 °C	: No data available.
Relative density	: No data available.
Density	: 890 kg/m <sup>3</sup> @15°C
Solubility	: Slightly soluble, the product remains on the water surface.
Log Pow	: No data available.
Viscosity, kinematic	: 158 mm <sup>2</sup> /s @ 40°C
Viscosity, dynamic	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available.

#### 9.2 Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

None under normal conditions.

#### 10.2 Chemical stability

#### 10.3 Possibility of hazardous reactions

None under normal conditions.

# TIGER HARLEY 4T 20W50

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### 10.4 Conditions to avoid

No data available.

### 10.5 Incompatible materials

Strong oxidizers. acids. Bases.

### 10.6 Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity : Not classified

#### Mineral oil

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	> 5000 mg/1/4 mg/m <sup>3</sup> @ 4h

#### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts

LD50 oral rat	> 5000 mg/kg OECD 401
LD50 dermal rabbit	> 5000 mg/kg OECD 402
LC50 inhalation rat (Vapours - mg/1/4h)	> 1,7 mg/l/4h EPA OPP 81-3

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified

#### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts

NOAEL (acute, oral, animal/male)	> 5000 mg/kg bodyweight OECD 407
----------------------------------	----------------------------------

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

### TIGER HARLEY 4T 20W50

Viscosity, Kinematic	158 mm <sup>2</sup> /s @ 40 °C
----------------------	--------------------------------

## SECTION 12: Ecological information

### 12.1 Toxicity

Ecology - general : Based on available data, the classification criteria are not met.

#### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts

LC50 fish 1	40 mg/l Pimephales promelas
EC50 Daphnia 1	0,037 mg/l
EC50 Daphnia 2	0,0079 mg/l @21d
EC50 other aquatic organisms 1	0,36 mg/l Chlorophyta
EC50 other aquatic organisms 2	> 1000 mg/l @0,1d - Slib
EC50 96h algae (2)	> 0,58 mg/l Mysidopsis Bahia
NOEC (chronic)	0,0037 mg/l @21d - Daphnia

#### Mineral oil

LC50 fish 1	> 100mg/l pimephaies propelas @ 4d
EC50 Daphnia 1	> 10000 mg/l
EC50 Daphnia 2	> 10 mg/l 21d
EC50 96h algae (1)	> 100 mg/l 3d - chiorophyta
NOEC (chronic)	> 10 mg/l 21d

#### Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts

LC50 fish 1	> 1000 mg/l pimephales promelas
LC50 fish 2	> 10000 mg/l cyprinodon variegatus
EC50 Daphnia 1	> 10000 mg/l
EC50 other aquatic organisms 2	> 10000 mg/l 0,1d - slib
EC50 96h algae (1)	> 1000 mg/l Chlorophyta

#### Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

LC50 fish 1	4,5 mg/l Oncorhynchus mykiss
LC50 fish 2	46 mg/l Cyprinodon varietagus
EC50 Daphnia 1	23 mg/l
EC50 Daphnia 2	0,8 mg/l @21d
EC50 other aquatic organisms 2	10000 mg/l @0,1d - Chlorophyta
EC50 72h algae (1)	21 mg/l @3d - Chlorophyta
NOEC (acute)	1,8 mg/l @4d - Oncorhynchus mykiss
NOEC (chronic)	10 mg/l @2d - Daphnia
NOEC chronic fish	0,4 mg/l @21d - Daphnia
NOEC chronic algae	10 mg/l @3d - Chlorophyta

# TIGER HARLEY 4T 20W50

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### 12.2 Persistence and degradability

Persistence and degradability	Not soluble in water, so only minimally biodegradable.
<b>Phenol, dodecyl-, branched</b>	
Biodegradation	25 % @28d - strum - OECD TG 301 B
<b>Mineral oil</b>	
Biodegradation	31 % 28d - OECD TG 301 B
<b>Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts</b>	
BOD (% of ThOD)	8 % ThOD 28d - OECD TG 301 D
<b>Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts</b>	
Biodegradation	1,5 % @28d - OECD TG 301 B

### 12.3 Bioaccumulative potential

<b>Phenol, dodecyl-, branched</b>	
Bioconcentration factor (BCF REACH)	794,33
Log Kow	7,14 Measurements
<b>Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts</b>	
Log Kow	4,46 - 10,88 OECD 107/117
<b>Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts</b>	
Log Kow	0,56 Measurements

### 12.4 Mobility in soil

No additional information available

### 12.5 Results of PBT and vPvB assessment

No additional information available

### 12.6 Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations

## SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

### 14.1 UN number

Not regulated for transport

### 14.2 UN proper shipping name

Not applicable

### 14.3 Transport hazard class(es)

Not applicable.

### 14.4 Packing group

Not applicable.

### 14.5 Environmental hazards

Other information : No supplementary information available.

### 14.5 Environmental hazards

Other information : No supplementary information available.

### 14.6 Special precautions for user

#### 14.6.1 Overland transport

No additional information available

#### 14.6.2 Transport by sea

No additional information available

#### 14.6.3 Air transport

No additional information available

#### 14.6.4 Inland waterway transport

No additional information available

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

# TIGER HARLEY 4T 20W50

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

##### 15.1.2. National regulations

###### Germany

VwVwS Annex reference : Water hazard class (WGK) 1, low hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

###### Netherlands

SZW-lijst van kankerverwekkende stoffen : Phenol, dodecyl-, branched, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts are listed

SZW-lijst van mutagene stoffen : Phenol, dodecyl-, branched, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

###### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed.

Recommendations Danish Regulation : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

### SECTION 16: Other information.

	ACGIH: American Conference of Governmental Industrial Hygienists
	TWA: Time Weighted Average
	TLV: Threshold Limit Value
	ASTM: American Society for Testing and Materials
	ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route
	RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
	ADNR: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
	IMDG: International Maritime Dangerous Goods
	ICAO: International Civil Aviation Organization
	IATA: International Air Transport Association
	STEL: Short Term Exposure Limit
	LD50: median Lethal Dose for 50% of subjects
	ATE: acute toxicity estimate
	LC50: median Lethal Concentration for 50% of subjects
	EC50: concentration producing 50% effect



# TIGER HARLEY 4T 20W50

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Other information : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of R-, H- and EUH-phrases :

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye iris 2.	Serious eye damage/eye irritation Category 2
Skin Sens. 1B	Sensitisation — Skin, category 1B
Skin Irrit. 2	skin corrosion/irritation Category 2
Skin Sens. 18	Sensitisation — Skin, category 1B
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H361f	Suspected of damaging fertility
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
EUH 208	Contains . May produce an allergic reaction
EUH 210	Safety data sheet available on request

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.