

TIGER X HARLEY 4T 20W50

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Date of issue: 07/02/2017 Revision date: 07/02/2017 Supersedes: 07/02/2017 Version:1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Form	:	Mixture
Product Name	:	TIGER X HARLEY 4T 20W50
Product Code	:	1506
Product Group	:	Blend

1.2 Product identifier

1.2.1 Relevant identified uses

Main use category	:	Industrial use,Professional use,Consumer use
Industrial/Professional use spec.	:	Non-dispersive use Used in closed systems
Function or use category	:	Lubricants and additives

1.2.2 Uses advised against

No additional information available

1.3 Details of the supplier of the safety data sheet

BLACK TIGER
3463 Old Al-Kharj Road Hyt, Unit 1
Riyadh 14371-6749- Saudi Arabia
info@blacktiger.com.sa

1.3 Details of the supplier of the safety data sheet

Emergency number	:	+966 11 438 2902
------------------	---	------------------

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]Show

Not classified

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH phrases	:	EUH208 - Contains MOB Calcium branched chain alkyl phenate. May produce an allergic reaction EUH210 - Safety data sheet available on request
Child-resistant fastening	:	No
Tactile warning	:	No

2.3 Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

TIGER X HARLEY 4T 20W50

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

3.2 Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Distillates(petroleum), solvent-dewaxed	(CAS No) 64742-65-0. (EC no) 265-169-7	1 - 2,5	Not Classified
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)	(EC no) 298-577-9 (REACH-no) 01-2119543726-33	0.1-0,99	Xi; R41 Xi; R38 N; R51/53
Phosphorodithioic acid, mixed O,O-bis (iso-Bu and pentyl) esters, zinc salts	(EC no) 270-608-0	0,1 - 0,5	Xi; R41 Xi; R38 N; R51/53
Name	Product identifier	%	Classification according to Directive 67/548/EEC
Distillates(petroleum), solvent-dewaxed	(CAS No) 64742-65-0. (EC no) 265-169-7	1 - 2,5	Asp. Tox. 1, H304
Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)	(EC no) 298-577-9 (REACH-no) 01-2119543726-33	0.1-0,99	Skin Irrit. 2, H315. Eye Dam. 1, H318 Aquatic Chronic 2, H411
Phosphorodithioic acid, mixed O,O-bis (iso-Bu and pentyl) esters, zinc salts	(EC no) 270-608-0	0,1 - 0,5	Eye Dam. 1, H318. Skin Irrit. 2, H315 Aquatic Chronic 2, H411

Full text of R-, H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aid measures after inhalation	: Not expected to require first aid measures.
First-aid measures after skin contact	: Wash skin with mild soap and water.
First-aid measures after eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth. Get immediate medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: Not expected to present a significant inhalation hazard under use.
Symptoms/injuries after skin contact	: Not expected to present a significant skin hazard under anticipated
Symptoms/injuries after eye contact	: Not expected to present a significant eye contact hazard under normal use.
Symptoms/injuries after ingestion	: Not expected to present a significant ingestion hazard under use.

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Water fog. Foam. Powder. Dry chemical product.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2 Special hazards arising from the substance or mixture

No additional information available

5.3 Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

TIGER X HARLEY 4T 20W50

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves.

6.2 Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3 Methods and material for containment and cleaning up

For containment : Impound and recover large spill by mixing it with inert granular solids.
Methods for cleaning up : Detergent. Take up liquid spill into absorbent material sand, saw dust, kieselguhr.
Other information : Spill area may be slippery. Use suitable disposal containers.

6.4 Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1 Reference to other sections

Precautions for safe handling : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually
Handling temperature : < 40°C
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature : < 40°C
Storage area : Store in dry, cool, well-ventilated area.

7.3 Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional Information : 5 mg/m3 for oil mists (TWA, 8h-workday) recommended, based upon the ACGIH TLV (Analysis according to US NIOSH Method 5026, NIOSH Manual of Analytical Methods, 3rd Edition).

8.2 Exposure controls

Personal protective equipment : Safety glasses. Gloves.



Hand protection : Wear suitable gloves resistant to chemical penetration.
Skin and body protection : No special clothing/skin protection equipment is recommended under normal conditions of use.
Respiratory protection : No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

TIGER X HARLEY 4T 20W50

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties.

Physical state	: Liquid.
Appearance	: Oily liquid.
Colour	: Yellow-brown
Odour	: Characteristic.
Odour threshold	: No data available.
pH	: No data available.
Relative evaporation rate (butylacetate=1)	: No data available.
Melting point	: No data available.
Freezing point	: No data available.
Boiling point	: No data available.
Flash point	: >244°C@ASTMD92
Self ignition temperature	: No data available.
Decomposition temperature	: No data available.
Flammability (solid, gas)	: No data available.
Vapour pressure	: No data available.
Relative vapour density at 20 °C	: No data available.
Relative density	: No data available.
Density	: 857 kg/m3 @15°C
Solubility	: Slightly soluble, the product remains on the water surface.
Log Pow	: No data available.
Viscosity, kinematic	: 123 mm2/s @ 40°C
Viscosity, dynamic	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available.

9.2 Other information

No additional information available

SECTION 10: Stability and reactivity

10.1 Reactivity

None under normal conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

None under normal conditions.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

Strong oxidizers. acids. Bases.

10.6 Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity : Not classified

Phosphorodithioic acid, mixed O,O-bis (iso-Bu and pentyl) esters, zinc salts

LD50 oral rat > 3600 mg/kg

LD50 dermal rabbit > 20000 mg/kg

Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)

LD50 oral rat > 2600 mg/kg

LD50 dermal rabbit > 3160 mg/kg OECD 402

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

TIGER X HARLEY 4T 20W50

Viscosity, Kinematic 123 mm2/s @ 40°C

TIGER X HARLEY 4T 20W50

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 12: Ecological information

12.1 Toxicity

Ecology - general : Based on available data, the classification criteria are not met.

Phosphorodithioic acid, mixed O,O-bis (iso-Bu and pentyl) esters, zinc salts

LC50 fish 1	4,5 ml/l OECD 203, (Cyprinodon variegatus, 96h)
EC50 Daphnia 1	23 mg/l OECD 202, (Daphnia magna, 72h)
EC50 other aquatic organisms 1	21 ml/l

Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)

LC50 fish 1	4,5 mg/l OECD 203 (Oncorhynchys mykiss) 96h
EC50 Daphnia 1	5,4 mg/l OECD 202 (Daphnia magna) 48h
EC50 other aquatic organisms 1	2,1 mg/l OECD 201 (Selenastrum capricornutum) 48h

12.2 Persistence and degradability

TIGER X HARLEY 4T 20W50

Persistence and degradability Not soluble in water, so only minimally biodegradable.

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

Biodegradation 1,5 % OECD 301B

Mineral oil

Biodegradation 1,5 % OECD 301B 28d

12.3 Bioaccumulative potential

Phosphorodithioic acid, mixed O,O-bis(1,3-dimethylbutyl and iso-Pr) esters, zinc salts

Log Kow 0,69

Zinc bis[O-(-6-methylheptyl)] bis[O-(sec-butyl)]bis(dithiophosphate)

Log Kow 0,9 @ 23 °C

12.4 Mobility in soil

No additional information available

12.5 Results of PBT and vPvB assessment

No additional information available

12.6 Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Additional information : Dispose in a safe manner in accordance with local/national regulations

SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

14.1 UN number

Not regulated for transport

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable.

14.4 Packing group

Not applicable.

14.5 Environmental hazards

Other information : No supplementary information available.

14.5 Environmental hazards

Other information : No supplementary information available.

14.6 Special precautions for user

14.6.1 Overland transport

No additional information available

14.6.2 Transport by sea

No additional information available

14.6.3 Air transport

No additional information available

14.6.4 Inland waterway transport

No additional information available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

TIGER X HARLEY 4T 20W50

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions
Contains no REACH candidate substances

15.1.2. National regulations

No Additional Information Available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information.

Other information : The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

Full text of R-, H- and EUH-phrases :

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Irrit. 2	skin corrosion/irritation Category 2
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H318	Causes serious eye damage
H411	Toxic to aquatic life with long lasting effects
R38	Contains . May produce an allergic reaction
R41	Safety data sheet available on request
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
N	Dangerous for the environment
Xn	Irritant

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.